



MAKIN' POWER!™
www.vpracingfuels.com

Specification Sheet: T2 (Pre-mixed at 40:1)

Typical Values

Specific Gravity: 0.749 @ 60°F/15.6°C

Color: Pale Green

MON: 101

RON: 109

R+M/2: 105

RVP: 8.5psi/58.6kpa

Leaded: YES

Oxygen Content: 5.95% by weight Oxygenated:

Yes Oxidation Stability (min.) 1440+

Initial Boiling Point: 108 °F

Distillation:

10% @ 130°F

50% @ 164°F

90% @ 231°F

95% @ 254°F

100% @ 370°F

H:C ratio = 1.99

O:C ratio = 0.02

Stoichiometric Ratio = 13.6

Production: Elmendorf, Texas USA

Availability: Sealed Drums

Rev 08/15