



**MAKIN' POWER!™**  
www.vpracingfuels.com

**Specification Sheet: VP 115/145**

*(TYPICAL VALUES)*

Specific Gravity: 0.714 @ 60°F/15.6°C

Color: Purple

Oxidation Stability (min.) 1440+

Distillation:

IBP @ 95.7°F/ 34.41°C

10% evap @ 143.1°F/ 61.7°C

50% evap @ 219.0°F/ 103.9°C

90% evap @ 267.6°F/ 130.9°C

E.P. @ 402.1°F/ 205.6°C

Rev 9/15