



**MAKIN' POWER!™**  
www.vpracingfuels.com

**Specification Sheet: C14**

(TYPICAL VALUES)

Specific Gravity: 0.693 @ 60°F/15.6°C

Color: Yellow

MON: 114

RON: 119

R+M/2: 116.5

RVP: 5.16 psi/107.6 kpa

Oxidation Stability (min.) 1440+

Distillation:

10% evap @ 168.1°F/75.6°C

50% evap @ 210°F/98.9°C

90% evap @ 217.2°F/102.9°C

E.P. @240.7°F/115.9°C

H:C ratio = 2.24

Stoichiometric Ratio = 15.08

Production: Elmendorf, Texas USA

Availability: Sealed Drums

Rev 07/14