



MAKIN' POWER!™
www.vpracingfuels.com

Specification Sheet: C14+

(TYPICAL VALUES)

Specific Gravity: 0.695 @ 60°F/15.6°C

Color: Colorless

MON: 115

RON:120+

R+M/2: 118

RVP: 5.2 psi/35.8 kpa

Oxidation Stability (min.) 1440+

Distillation:

10% evap @ 167.3°F/75.2°C

50% evap @ 209.6°F/98.7°C

90% evap @ 217.3°F/102.9°C

E.P. @ 244.1°F/117.8°C

H:C ratio = 2.24

Stoichiometric Ratio = 15.08

Production: Elmhendorf, Texas USA

Availability: Sealed Drums

Rev 07/14