



MAKIN' POWER!™
www.vpracingfuels.com

Specification Sheet: C16

(TYPICAL VALUES)

Specific Gravity: 0.735 @ 60°F/15.6°C

Color: Blue

MON: 117

RON:120+

R+M/2: 120+

RVP: 1.85 psi/ 12.6 kpa

Oxidation Stability (min.) 1440+

Distillation:

10% evap @ 211.5°F/99.7°C

50% evap @ 213.1°F/100.6°C

90% evap @ 215.8°F/102.1°C

E.P. @ 233.3°F/118.8°C

H:C ratio = 2.05

Stoichiometric Ratio = 14.82

Production: Elmendorf, Texas USA=

Availability: Sealed Drums

Rev 02/14