



MAKIN' POWER!™
www.vpracingfuels.com

Specification Sheet: C25

(TYPICAL VALUES)

Specific Gravity: 0.698@ 60°F/15.6°C

Color: Yellow

MON: 113

RON:120+

R+M/2: 118

RVP: 9.66 psi/ 66.6 kpa

Oxidation Stability (min.) 1440+

Distillation:

10% evap @ 120.8°F/49.3°C

50% evap @ 162.5°F/72.5°C

90% evap @ 207.2°F/97.3°C

E.P. @ 231.6°F/110.9°C

H:C ratio = 2.24

Stoichiometric Ratio = 15.07

Production: Elmendorf, Texas USA

Availability: Sealed Drums

Rev 07/14