



**MAKIN' POWER!™**  
[www.vpracingfuels.com](http://www.vpracingfuels.com)

**Specification Sheet: C50 Premix (50:1)**

**Typical Values**

Specific Gravity = 0.712 @ 60°F/15.6°C

Color = colorless (light straw)

MON = 87.5

RON = 102.0

(R+M)/2 = 94.75

Oxygen Content = 6.75% by weight

RVP = 10.4 psi (71.9 kPa)

Stoichiometric A/F ratio = 14.01 to 1

Initial Boiling Point = 99.5°F

10% Evaporation = 116.1°F

50% Evaporation = 137.1°F

90% Evaporation = 209.6°F

Endpoint = 245.1°F

Production: Elmendorf, Texas USA

Availability: Sealed Drums

Rev 11/14