



MAKIN' POWER!™
www.vpracingfuels.com

Specification Sheet: X16

(TYPICAL VALUES)

Specific Gravity: 0.713 @ 60°F/15.6°C

Color: Red

MON: 114

RON: 118

R+M/2: 116

RVP: 6psi/41.4kpa

Oxidation Stability (min.) 1440+

Distillation:

10% evap @ 155.7°F/68.7°C

50% evap @ 219.4°F/104.1°C

90% evap @ 254.3°F/123.5°C

E.P. @ 384°F/195.6°C

H:C ratio = 2.16

Stoichiometric Ratio = 14.96

Production: Elmendorf, Texas USA

Availability: Sealed Drums

Rev 07/14