



Safety Data Sheet

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace

Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

Section 1 - Chemical Product and Company Identification

1.1 Product Name: **CHP Plus**

1.2 VP Racing Fuels, Inc., 7124 Richter Road, Elmhendorf, TX 78112, 210.635.7744

1.3 Recommended Use: Racing Fuel

1.4 **RESTRICTIONS on USE** THIS FUEL IS FOR RACING VEHICLE USE ONLY!

NOT LEGAL FOR STREET DRIVEN MOTOR VEHICLE

1.5 Emergency Response Number: **CHEMTREC 800-424-9300**

International Emergency Telephone Number: **+1-703-527-3887**

1.6 See Section 16.3 for CHEMTREC in Country Emergency Numbers

Section 2 - Hazards Identification

2.1 GHS HAZARD

Hazard Classes

Highly Flammable liquid/vapor

Specific Target Organs toxicity single exposure

Specific Target Organs repeated exposure

Eye Irritation

Skin Irritation

Acute Toxicity (Oral)

Acute Toxicity (Inhalation)

Acute Toxicity (Dermal)

Mutagenicity

Carcinogen

Reproductive Toxicity

Aspiration Hazard

Toxic to Aquatic Life Long Lasting Effects

Hazard Categories

Category 2

Category 3

Category 1

Category 2A

Category 2

Category 4

Category 4

Category 4

Category 1B

Category 1B

Category 2

Category 1

Category 2

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

2.2 Signal Word: **Danger**



2.3 Pictograms:

Flame Health Hazard Irritant Aquatic Hazard

2.4 Hazard Statements

PHYSICAL HAZARDS:

H225: Highly flammable liquid and vapor

HEALTH HAZARDS:

H302: Harmful if swallowed
H304: May be fatal if swallowed and enter the airway
H412: Harmful in contact with skin
H315: Causes skin irritation
H319: Causes serious eye irritation
H340: May cause genetic defects
H350: May cause cancer
H361: Suspected of damaging fertility or the unborn child
H332: Harmful if inhaled
H336: May cause drowsiness or dizziness
H372: Causes damage to organs through prolonged or repeated exposure

ENVIRONMENTAL HAZARDS:

H411: Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS:

P102: Keep out of reach of children
P201: Obtain special instructions before use. **READ SDS BEFORE USE**
P202: Do not handle until all safety precautions have been read and understood
P210: Keep away from sparks and open flames- No smoking
P240: Ground or bond container and receiving equipment
P241: Use explosion-proof equipment
P242 Use only non-sparking tools
P243 Take precautionary measures against static discharge
P260: Do not breathe vapors
P264: Wash hands thoroughly after handling
P270: Do not eat, drink or smoke when using this product
P271: Use only outdoors or in well ventilated area

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace

Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

P273: Avoid release to the environment

P280: Wear protective gloves, clothing and eye
protection

RESPONSE STATEMENTS:

P301 +310+ P331: IF SWALLOWED: USA Immediately
call the National POISON CENTER at **800-222-1222**.
OUTSIDE USA Immediately call poison center or
doctor. DO NOT induce vomiting

P303+P361+353: IF ON SKIN Take off immediately all
contaminated clothing. Rinse skin with water

P304+340: IF INHALED. Remove to fresh air and keep
comfortable for breathing

P305+P351: IF IN EYES rinse cautiously with water
for at least 15 minutes

P308+P313: If exposed or concerned get medical
attention

P362+P364: IF ON CLOTHING, take off contaminated
clothing and wash it before reuse

P313+P332+P337: If skin or eye irritation persists get
medical attention

H314: Get medical attention if you feel unwilling

P370: In case of fire use foam, carbon dioxide, dry
chemical to extinguish fire

P376: Stop leaks if safe to do so.

STORAGE STATEMENTS:

P403+P405+P235: Store in a well-ventilated place,
store locked up and keep cool

DISPOSAL STATEMENTS:

P501: Dispose of content and/or container in
accordance with local, regional, national or
international regulations

2.5 Hazards not otherwise classified (HNOC) or not covered by GHS: Repeated exposure may
cause skin dryness or cracking

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

Section 3 - Composition / Information on Ingredients

3.1

CAS#	EC#	Chemical Names	Percent	Other Identifiers
N/A	N/A	Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	29-42%	None
637-92-3	211-309-7	2-Methyl-2-ethoxypropane	42-48%	Methyl-2-ethoxypropane
67-56-1	200-659-6	Carbinol	15-20%	Hydroxymethane
75-52-5	200-876-6	Nitrocarbol	1-3%	NM

3.2 Blend Contains

Chemical Names	CAS#	EC#
1,1,2-Trimethylethane	78-78-4	201-142-8
Phenylmethane	108-88-3	203-625-9
Alkylate Full Range	64741-64-6	265-066-7

NOTE: This blend contained $\leq 0.3\%$ Tetraethyle plumb CAS Number 78-00-2. All the associated physical and health hazards have been addressed in this SDS.

3.3 Trade Secret Provision and Chemical Concentration Disclosure: In accordance with OSHA and GHS Regulations we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a blend and are applicable to the hazards as identified in this Safety Data Sheet

Section 4 - First Aid Measures

4.1 Eye: Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.2 Skin: Prolonged and repeated liquid contact can cause defatting and drying of the skin and can lead to irritation and/or dermatitis.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

4.3 Ingestion: Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities in the lungs can produce chemical pneumonia, pulmonary edema and even death.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

4.4 Inhalation: Prolonged breathing of high vapor concentrations can produce headache, dizziness, nausea, and impaired vision. Excessive overexposure can cause central nervous system depression, loss of consciousness, liver damage and death resulting from respiratory failure.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

4.4.5 After first aid, get appropriate paramedic, or community medical support. The severity of outcome following an exposure may be more related to the time between the exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

4.6 Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, in accordance with OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will upon written request disclose a specific chemical identity

Section 5 - Fire-Fighting Measures

5.1 General Fire Hazards: Use water to cool containers exposed to fire

5.2 Hazardous Combustion Products: Avoid fumes of burning product.

5.3 Extinguishing Media: Carbon dioxide, dry chemical, foam

5.4 Fire Fighting Equipment/Instructions: Fire fighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Fire fighters should avoid inhaling any combustion products.

Section 6 - Accidental Release Measures

6.1 Spill /Leak Procedures: Ventilate area highly flammable. Spillages of liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

6.2 Spills: Avoid direct contact with material. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth and place in a container for disposal.

Section 7 - Handling and Storage

7.1 Handling Precautions: Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin or clothing. Keep container tightly closed. Avoid inhalation.

7.2 Storage Requirements: Store in a tightly closed container in a cool, dry and well-ventilated area.

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

Section 8 - Exposure Controls / Personal Protection

8.1

Chemical Names	ACGIH- TLV 2017	OSHA – PEL 2017
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	300 ppm TWA	*300 ppm TWA
2-Methyl-2-ethoxypropane	25 ppm TWA	*25 ppm TWA
Carbinol	200 ppmTWA	*250ppmTWA
Nitrocarbol	50 ppm TWA	*100 ppm TWA
Tetraethyle plumb	0.1mg/m3	075mg/m3

8.2.

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.

OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour work week which shall not be exceeded. *Listed on the OSHA Z1 or Z2 Table.

8.3 Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs Local exhaust ventilation are preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.4 Contaminated Equipment: Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

8.5 Personal protective equipment

8.5.1 Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.5.2 Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Nitrile rubber

Splash contact: Nitrile rubber

8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

8.5.4 Skin and body protection

Impervious clothing, flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

8.6 Protective Clothing Pictograms



Splash Goggles



Gloves



Protective Apron



Vapor Respirator

Section 9 - Physical and Chemical Properties

9.1

Physical State: Liquid

Appearance: Lt. Purple

Odor: Aromatic Hydrocarbon Odor

Vapor Pressure: Not Available

Vapor Density (Air=1): 3.9

Specific Gravity (H₂O=1,): 0.74

Relative Density: Not Available

Odor Threshold: Not Available

Flammability (solid, gas): Not applicable.

Evaporation rate: Not Available

Partition coefficient octanol/water: Not Available

Water Solubility: Insoluble

Melting point/freezing point: Not Available

Flash Point: -40°F (-40°C) close cup

Boiling Point / Range: 97.7 – 402.1°F
(36.5 – 205.6°C)

Lower Explosive Limits (vol % in air): 1%

Upper Explosive Limits (vol % in air): 15%

Viscosity: Kinematic 0.46 cSt 104°F, 40°C

Auto ignition Temperature: Not Available

Decomposition temperature: Not Available

pH: None

Section 10 - Stability and Reactivity

10.1 Stability: Stable under ordinary conditions of use and storage

10.2 Polymerization: Hazardous polymerization has not been reported

10.3 Chemical Incompatibilities: Strong oxidizing agents

10.4 Hazardous Decomposition Products: Combustion produces carbon monoxide and carbon dioxide

10.5 Conditions to Avoid: Avoid heat, sparks open flames and other ignition sources

Section 11- Toxicological Information

11.1 Product Name	Results	Species	Dose	Exposure
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Oral LD50	Rat	<2000 mg/kg	None Listed
2-Methyl-2-ethoxypropane	Oral LD50	Rat	7150 mg/kg	None Listed
Carbinol	Oral LDLO	Human	143mg/kg	None Listed
Carbinol	Oral LD50	Rat	2131 mg/kg	None Listed
Nitrocarbols	Oral LD50	Rat	940 mg/kg	None Listed
Nitrocarbols	Inhalation LC50	Rat	1000 ppm	None Listed
Tetraethyle plumb	Oral LD50	Rat	14.18 mg/kg	None Listed

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

11.1.1 OECD Guideline 401 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause Oral Toxicity.

11.1.2 OECD Guideline 403 Tests results found in the European Chemical Agency Data Base shows that components of this product to be Inhalation Toxicity.

11.11.3 OECD Guideline 402 Tests results found in the European Chemical Agency Data Base shows that components of this product to Acute Dermal Toxicity

11.2 Route of Entry: Inhalation, Ingestion, Absorption, Skin and/or Eye Contact

11.3 Aspiration Hazard: European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters airways.

11.4 Mutagenicity: OECD Guideline 476 Tests results found in the European Chemical Agency Data Base show components of this product to cause genetic defects

11.5 Skin Corrosion/Irritation: OECD Guideline 404 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

11.6 Serious Eye Damage/Irritation: OECD Guideline 405 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

11.8 Reproductive toxicity: OECD Guideline 421 Tests results found in the European Chemical Agency Data Base show components of this product to cause damage to fertility or the unborn child.

11.9 Specific Target Organ Toxicity (Single Exposure): European Chemical Agency Data Base shows that components of this product may cause damage to the central nervous system (CNS).

11.10 Specific Target Organ Toxicity (Repeated Exposure): Contains material which may cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

11.11 Signs and Symptoms: Effects due to exposure may include: Headache, Dizziness, Drowsiness, Metabolic Acidosis, Coma, Seizures. Symptoms may be delayed

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
 Conforms to The United Nations Regulation Globally Harmonized System
 The Workplace Hazardous Materials Information System (WHMIS 2015)
 Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
 of Hazards and Risks of Hazardous Chemicals in the Workplace
 Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
 the Work Health and Safety Act

11.12 Carcinogenicity: OECD Guideline 453 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause cancer.

Chemical Name	IARC	ACGIH	NTP	OSHA
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Not classifiable as a human carcinogen	Not classifiable as a human carcinogen	Not listed	Not listed
2-Methyl-2-ethoxypropane	None Listed	None Listed	None listed	None Listed
Carbinol	Not listed	Confirmed Human Carcinogen	Not listed	Not listed
Nitrocarbol	Substance is possibly carcinogenic to humans	Confirmed animal with unknown relevance to humans	Substance is reasonably anticipated to be a	Yes
Tetraethyle plumb	None Listed	None Listed	None listed	None Listed

Section 12 - Ecological Information

12.1

Product Name	Results	Species	Exposure
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the environment		
2-Methyl-2-ethoxypropane	LC50 100 mg/l	Fish	96 hours
Carbinol	LC50 29.4 mg/L	Fish	96 hours
Carbinol	LC50 22,200 mg/L	Daphnia	48 hours
Nitrocarbol	IC50 36 mg/l	Algae	72 hours
Nitrocarbol	EC50 450 mg/l	Daphnia	24 hours
Nitrocarbol	LC50 460 mg/l	Fish	58 hours
Tetraethyle plumb	LC50 0.23 mg/l	Fish	96 hours

Toxicity: OECD Guideline 204 Test results found in the European Chemical Agency Data Base show components of this product to cause long-term toxicity to aquatic life.

12.2 Mobility: Floats on water

12.3 Persistence/degradability: Inconclusive technical data

12.4 Bioaccumulation: Inconclusive technical data

12.5 Other adverse effects: Inconclusive technical data

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! Container should be completely emptied prior to discard. Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Section 14 - Transport Information

14.1 DOT Transport Information



ID No.: UN 1203

Shipping Name: Gasoline

Hazard Class: 3

Packing Group: II

Label: Flammable

Placard: Flammable

Marking: MARINE POLLUTANT Alkylate Full Range when shipping ground greater than 119 gallons' single container or any quantity by water

14.2 TDG Canadian Transport Information



ID No.: UN 1203

Shipping Name: Gasoline

Hazard Class: 3

Packing Group: II

Marking: MARINE POLLUTANT Alkylate Full Range Not regulated if shipped by road or rail

Label: Flammable

Placard: Flammable

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

14.3 IMDG Transport Information



ID No.: UN 1203

Shipping Name: GASOLINE

Hazard Class: 3

Packing Group: II

Flash Point: (-40°C c.c.)

EmS Number: F-E, S-E

Label: Flammable

Placard: Flammable

Marking: Marine Pollutant Alkylate Full Range

14.4 ADR/RID Transport Information



ID No.: UN 1203

Shipping Name: Gasoline

Hazard Class: 3

Packing Group: II

Label: Flammable

Placard: Flammable

Marking: Marine Alkylate Full Range

Classification Code: F1

14.5 Australian Dangerous Goods Transport Information



ID No.: ID No.: UN1203

Shipping Name: Gasoline

Hazard Class: 3

Packing Group: II

Label: Flammable

Placard: Flammable

Marking: Marine Pollutant Alkylate Full Range

Marking: MARINE POLLUTANT The marine pollutant mark is only applicable for packages containing more than 5 liters for liquids.

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

14.6 UN Dangerous Goods Transport Information



ID No.: ID No.: UN1203
Shipping Name: Gasoline
Hazard Class: 3
Packing Group: II
Label: Flammable
Placard: Flammable
Marking: Marine Pollutant Alkylate Full Range

Section 15 - Regulatory Information

15.1 US Regulations

US. Toxic Substances Control Act: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

CERCLA Hazardous Substances and corresponding RQs: Phenylmethane 1000 pounds, Carbinol 5000 pounds

SARA Community Right-to-Know Program: Phenylmethane, Carbinol, Nitrocarbol

Clean Water Act: Phenylmethane

Clean Air Act: 1,1,2-Trimethylethane

OSHA: All ingredients are regulated by 1910.1200

State Regulations

California prop. 65: Phenylmethane Reproductive, Carbinol Developmental Nitrocarbol, Cancer, **2-Methyl-2-ethoxypropane Reproductive Removed 12/2009**

Chemicals on the following State Right to Know Lists:

Massachusetts: All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements.

New Jersey All components of this product are on the New Jersey inventory or are exempt from Inventory requirements.

Pennsylvania: All components of this product are on the Pennsylvania Inventory or are exempt from Inventory requirements.

15.2 Canadian Regulation:

The following substances are specified on the public Portion of the Domestic Substances List (DSL): All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

CHP Plus

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System
Conforms to The United Nations Regulation Globally Harmonized System
The Workplace Hazardous Materials Information System (WHMIS 2015)
Conforms to Regulation (EU) No 453/2010

Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication
of Hazards and Risks of Hazardous Chemicals in the Workplace
Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of
the Work Health and Safety Act

15.3 Europe Regulations

Europe inventory:

All substances contained in this product are listed on the EU directives or are not required to be listed.

15.4 International Regulations:

Australian Inventory of Chemical Substance: All components of this product are on the Inventory or are exempt from Inventory requirements

National Existing Chemical Inventory in Taiwan: All components of this product are on Inventory or are exempt from Inventory requirements

Philippine Inventory of Chemicals and Chemical Substances All components of this product are on the Inventory or are exempt from Inventory requirements

China Existing Chemical Inventory: All components of this product are on the Inventory or are exempt from Inventory requirements

Section 16 - Other Information

16.1 Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

16.2 References: CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base Chinese Data Base Classification Labeling of Hazardous Chemicals and MSDS and SDS of chemicals in this mixture.

16.3 CHEMTREC in country emergency dial numbers:

Australia (Sydney) + (61)-290372994
China 4001-204937 must be call within China
Germany 0800-181-7059 must be call within Germany
Germany (Frankfurt) + (49)-6964350840
Russia 8-800-100-6346 Must be call within Russia

16.4 SDS Preparation Date 05/05/2017

SDS Previous Issue Date: None

Prepared by SJC Compliance Education, Inc
16516 El Camino Real Suite 417
Houston, TX 77062